

## Refine Search

### Search Results -

Term	Documents
10.USPT.	1
(L10 ).USPT.	1

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L11

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Monday, January 03, 2005   [Printable Copy](#)   [Create Case](#)

**Set Name Query**

side by side

**Hit Count Set Name**

result set

DB=USPT; PLUR=YES; OP=ADJ

L11   L101   L11L10   L8 and percent same var\$31   L10L9   L8 and continuous\$2 adj var\$30   L9L8   l5 and @py<=200028   L8

DB=PGPB,USPT; PLUR=YES; OP=ADJ

L7   L6 and @py<=20004   L7L6   L2 and clock adj frequency same reference adj frequency11   L6L5   L2 and clock adj frequency and reference adj frequency39   L5L4   L3 and plus adj minus adj (1 or one)adj percent1   L4L3   L2 and reference adj frequency39   L3L2   L1 and clock adj frequency399   L2L1   (PDP or plasma adj display)17679   L1

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Term	Documents
PERCENT	453092
PERCENTS	15698
VAR\$3	0
VAR	10154
VARA	395
VARAAL	1
VARABS	15
VARAC	1
VARAD	18
VARADA	1
VARADD	1
(L8 AND PERCENT SAME VAR\$3).USPT.	1

There are more results than shown above. Click here to view the entire set.

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L10

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Monday, January 03, 2005   [Printable Copy](#)   [Create Case](#)

#### Set Name Query

side by side

DB=USPT; PLUR=YES; OP=ADJ

L10   L8 and percent same var\$3

#### Hit Count Set Name

result set

1   L10

<u>L9</u>	L8 and continuous\$2 adj var\$3	0	<u>L9</u>
<u>L8</u>	15 and @py<=2000	28	<u>L8</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>			
<u>L7</u>	L6 and @py<=2000	4	<u>L7</u>
<u>L6</u>	L2 and clock adj frequency same reference adj frequency	11	<u>L6</u>
<u>L5</u>	L2 and clock adj frequency and reference adj frequency	39	<u>L5</u>
<u>L4</u>	L3 and plus adj minus adj (1 or one)adj percent	1	<u>L4</u>
<u>L3</u>	L2 and reference adj frequency	39	<u>L3</u>
<u>L2</u>	L1 and clock adj frequency	399	<u>L2</u>
<u>L1</u>	(PDP or plasma adj display)	17679	<u>L1</u>

END OF SEARCH HISTORY